AMENDMENTS TO THE CLAIMS

(Currently Amended) An optical polymeric compound containing obtained from a reaction of polyimide repeating units-to-which and an organic dye molecular material having the following formula-is-coupled:

where D is an organic chromophore molecule, and n is an integer from 1 to 10.

(Currently Amended) The optical polymeric compound of claim 1, wherein the
organic chromophore molecule D has a structure selected from the following formula (A-1), (A2) and (A-3) in which each chromophore molecule is shown as D-OH:

where R and R' are each independently alkyl or phenyl groups having 1 to 10 carbon atoms, A_1 , is carbon or nitrogen, X_2 is NO_2 , a sulfonyl-substituted or unsubstituted alkyl group having 1 to 10 carbon atoms, CN_1 , $-C(CN)=C(CN)_2$, an ester group, a earbonyl group, a halogen element, or a haloalkyl group, and n is an integer from 1 to 11.

- (Original) The optical polymeric compound of claim 1, having a number average molecular weight of 5,000-500,000.
- (Original) The optical polymeric compound of claim 1, having a homopolyimide backbone.
- (Currently Amended) The An optical polymeric compound of claim 1, wherein the
 polyimide repeating unit has containing polyimide repeating units and organic dye molecular
 groups, wherein the optical polymeric compound has the following formula:

where S is an organic dye molecular group having a structure of the following formula:

where D is an organic chromophore molecule, and n is an integer from 1 to 10, and where A and B are each independently fluorocarbon-substituted or unsubstituted hydrocarbons having 1 to 4 carbon atoms, oxygen, nitrogen, or sulfur, and m is in the range of 0.01 to 1 as the ratio of the polyimide repeating units to all the repeating units of the optical polymeric compound.

 (Currently Amended) The optical polymeric compound of claim 5, wherein the polyimide repeating unit optical polymeric compound has the following formula:

- (Original) The optical polymeric compound of claim 5, wherein the polyimide repeating unit contains 10-55% by weight the organic chromophore molecule D.
- (Currently Amended) The optical polymeric compound of claim 5, wherein the
 polyimide repeating unit-is-ecupled with contains at least one organic chromophore molecule

selected from the group of organic chromophore molecules having the following formula (A-1), (A-2) and (A-3) in which each chromophore molecule is shown as D-OH, or with a combination of the organic chromophore molecules in a predetermined ratio:

where R and R' are each independently alkyl or phenyl groups having 1 to 10 carbon atoms, A_1 , is carbon or nitrogen, X_2 is NO_2 , a sulfonyl-substituted or unsubstituted alkyl group having 1 to 10 carbon atoms, CN_1 –C(CN)= $C(CN)_2$ -an ester group, a carbonyl group, a halogen element, or a haloalkyl group, and n is an integer from 1 to 11.